


???? API Key ?? - ?? API Key ???????????? ?? ???



????????? API Key ?????????????? API Key?

API Key 管理

API Key 是您请求火山方舟大模型服务的重要凭证。API Key 长期有效，请您不要将密钥信息共享至公开环境，妥善保管并定期轮换密钥，避免因未经授权的使用造成安全风险或资金损失。

当前您在“全部资源”视图下，为了您的数据安全，仅展示 Default（默认项目）下的 API Key，您可通过平台左上角切换项目。

+ 创建 API Key

全部我创建的

名称	API Key	所属项目
Test	ark-6d98997e-2005-4337-a354-	default

2. ?? OpenClaw ??

?????????

```
openclaw config
```

?? Local - Model


???? Volcano Engine

“ ?????????? OpenClaw ?????? “Volacno Engine”

????????????????????????????

???? API Key????????Ctrl+Shift+V?

????



????????????????????????

“ ???????????? volcengine ? volcengine-plan ?????

??????????????????? Coding Plan ??

◆ Models in /model picker (multi-select)

Search:

...

☐ vercel-ai-gateway/vercel/v0-1.0-md

☐ vercel-ai-gateway/vercel/v0-1.5-md

☒ vllm/Qwen3.6-35B-A3B-UD-Q8_K_XL.gguf

原先使用的模型

☐ volcengine/deepseek-v3-2-251201

☐ volcengine/doubao-seed-1-8-251228

☒ volcengine/doubao-seed-code-preview-251028

☐ volcengine/glm-4-7-251222

☐ volcengine/kimi-k2-5-260127

☐ volcengine-plan/ark-code-latest

☐ volcengine-plan/doubao-seed-code

☐ volcengine-plan/doubao-seed-code-preview-251028

☐ volcengine-plan/glm-4.7

☐ volcengine-plan/kimi-k2-thinking

☐ volcengine-plan/kimi-k2.5

☐ xai/grok-2

☐ xai/grok-2-1212

☐ xai/grok-2-latest

☐ xai/grok-2-vision (Grok 2 Vision · ctx 8k · auth missing)

☐ xai/grok-2-vision-1212

...

↑/↓ to navigate • Space/Tab: select • Enter: confirm • Type: to search

火山方舟可用模型

按方向键移动

按空格键选中

按回车键确定


??????????????? ??????????????

```
◆ Models in /model picker (multi-select)
| 2 items selected
Config overwrite: /home/lk/.openclaw/openclaw.json
61fb35ff56dba02ec3342d318ce145667269180d29d6794123
Updated ~/.openclaw/openclaw.json
|
◆ Select sections to configure
○ Workspace
○ Model
○ Web tools
○ Gateway
○ Daemon
○ Channels
○ Skills
○ Health check
● Continue (Done)
```

???????????? OpenClaw Gateway ??????????

openclaw gateway restart

???????????? OpenClaw?



3. ?????

??

openclaw models list

```
lk@lk:~$ openclaw models list

🐉 OpenClaw 2026.2.25 (4b5d4a4) – Because the right answer is usually a script.

Model                               Input    Ctx    Local Auth  Tags
volcengine-plan/ark-code-latest     text     250k   no    yes  default
vllm/Qwen3.6-35B-A3B-UD-Q8_K_XL.gguf text     125k   yes   yes  fallback#1,configured
volcengine/doubao-seed-code-preview-251028 text+image 250k   no    yes  configured
```

???????????????? Gateway????

openclaw models set

```
lk@lk:~$ openclaw models set volcengine/doubao-seed-code-preview-251028

🐉 OpenClaw 2026.2.25 (4b5d4a4) – I can run local, remote, or purely on vibes—results may vary with DNS.

Config overwrite: /home/lk/.openclaw/openclaw.json (sha256 a609ad3f52408ad7020d86089bdb3547048934e8571761ec422ba1b3c36b340f -> 4f30bd76fb1ff2b36e668a0249f23c1724874f2cd9b7a93a6b1b434c9281dac4, backup=/home/lk/.openclaw/openclaw.json.bak)
Updated ~/.openclaw/openclaw.json
Default model: volcengine/doubao-seed-code-preview-251028
```

???????????????? OpenClaw ?????? /model ??????????

/model vllm/Qwen3.6-35B-A3B-UD-Q8_K_XL.gguf

You 17:16

U

A

Assistant 17:16

Model set to vllm/Qwen3.6-35B-A3B-UD-Q8_K_XL.gguf.